

Certificate of Analysis

25mg Lemon Gummy



Matrix: Edible

Kaycha Labs

Sample:MO00608013-001 Harvest/Lot ID: 01 Seed to Sale #N/A Batch Date :N/A Batch#: 0164 Sample Size Received: 5.5 gram Retail Product Size: 5.5 gram Ordered : 06/04/20 Sampled : 06/04/20 Completed: 06/10/20 Expires: 06/10/21 Sampling Method: SOP Client Method

N/A



Jun 10, 2020 | Reserve Infusibles 820 Park Ave. SE

PRODUCT IMAGE SAFETY RESULTS











NOT TESTED







NOT TESTED








Moisture



MISC.

CANNABINOID RESULTS



Cannabinoid Profile Test

Analyzed by	Weight	Extraction date :	Extracted By :
19	3.0363g	06/09/20 09:06:44	19
Analysis Method -SOI	P.T.40.020, SOP.T.30.0	50 Reviewed	On - 06/10/20 11:16:43
Analytical Batch -MO	000644POT Instrum	ent Used : HPLC Potency Analyzer Batc	h Date : 06/08/20 13:01:04

Dilution Reagent Consums. ID

Full spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection (HPLC-UV). (Method: SOP.T.30.050 for sample prep and Shimadzu High Sensitivity Method SOP.T.40.020 for analysis. LOQ for all cannabinoids is 1 mg/L). Measurement of Uncertainty: 2.7%

This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is an Kaycha Labs certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LOD) and Limit Of Quantitation (LQQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation. The result >99% are variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310.

David Greene

Lab Director State License # 19-05-02P ISO Accreditation # 17025:2017

Dendon

06/10/2020

Signature

Signed On